

# Upgrading to SUSE Linux Enterprise Server 16

## WHAT?

This article describes the upgrade to SUSE Linux Enterprise Server 16.0.

## WHY?

Learn how to upgrade to SUSE Linux Enterprise Server 16.0.

## EFFORT

15 minutes of reading. The time of the upgrade itself depends on the system's performance, the installation size and your network connection speed.

## GOAL

Learn how to upgrade a system from SLES 15 to 16.0.

## REQUIREMENTS

- A system with SUSE Linux Enterprise Server 15 SP7. Upgrades from other SLES versions are not supported for SLES 16.0.
- The system must be registered in order to access the package repositories.

Publication Date: 27 Nov 2025

## Contents

1	Lifecycle and upgrade paths	3
2	Distribution migration system	4
3	Preparing the upgrade	5
4	Customizing the upgrade process	6
5	Performing the upgrade	9
6	Finishing the upgrade	11
7	For more information	12
8	Legal Notice	12
A	GNU Free Documentation License	13

# 1 Lifecycle and upgrade paths

SUSE Linux Enterprise Server (SLES) allows upgrading an existing system to a later version. No new installation is required. Existing data, such as home and data directories and system configuration, is kept intact. Whether it is better to upgrade or perform a fresh installation depends on your specific scenario.

## 1.1 Product lifecycle

SUSE Linux Enterprise Server 16 introduces a new naming scheme for versions, using minor releases like 16.0 and 16.1. Minor releases are scheduled annually and always in November. Each minor release has 24 months of general support, giving you 12 months overlap with the next minor release. The last minor release, 16.6, will have 48 months of general support to complete a 10-year lifecycle. General support is expected to end in November 2035. Additional Long Term Support (LTS) is available for 3 years for all service packs, with LTS and Extreme LTS beyond 2040.

## 1.2 Upgrading versus fresh installation

Upgrades between two major versions of SUSE Linux Enterprise Server are supported by SUSE. Whether it is better to upgrade or perform a fresh installation depends on your specific scenario. While upgrades involve less work, fresh installations ensure you benefit from all the new features of a release, such as disk layout changes, specific file system features, and other improvements. To get the most out of your system, SUSE therefore recommends fresh installations in most scenarios.

In both cases—an upgrade and a fresh installation—customers need to check if system settings and default values still fit their requirements.

## 1.3 Supported upgrade and migration paths to SLES 16.0

SUSE Linux Enterprise Server 16.0 only allows upgrades from SLES 15 SP7. More upgrade paths are planned for later versions.

# 2 Distribution migration system

The distribution migration system provides an upgrade path for an installed SUSE Linux Enterprise Server system from one major version to another, for example, from SLES 15 SP7 to SLES 16.0.

## 2.1 Concept

While previous versions of SUSE Linux Enterprise Server were upgraded from the Unified Installer, SLES 16 uses the distribution migration system. This upgrade is done via the network using the Zypper migration workflow, which sends a request to the repository server, asking for an upgrade path. Supported repository servers are the SUSE Customer Center (SCC) and the repository mirroring tool (RMT). The request response contains the list of repositories required to upgrade the system. This requires the system to be registered before the upgrade. Additionally, the server providing the updates must have the necessary channels available and those channels must be up to date. This requirement is automatically met when a system is registered to the SUSE Customer Center (SCC) or for "Pay as you go" instances in the public cloud that are automatically registered to the SUSE-operated update infrastructure of the public cloud provider. However, administrative work may be required when the system to be upgraded is connected to an RMT server.

Upgrading to a new major version requires the system to be offline. This downtime is necessary to avoid system inconsistencies that could put the system into a state that does not allow recovery. Therefore, a live migration image is used for the upgrade.

The distribution migration system provides the live image and a start-up utility, **run\_migration**, which reboots the running system into the upgrade live image. Once booted into the upgrade live image, the following chain of services will be executed:

1. Detect the system to be upgraded
2. Mount the necessary file systems


3. Set up the network to match the network configuration of the system to be upgraded
4. Prepare SSH access to the upgrade live image
5. Prepare the package manager for the upgrade task
6. Upgrade the system using zypper
7. Update the boot loader configuration
8. Unmount all mounted file systems
9. Reboot

If an error occurs prior to the start of the upgrade, the system will be reverted to its original state.

### 3 Preparing the upgrade

Before starting the upgrade procedure, make sure your system is properly prepared. Among other things, preparation involves backing up data and checking the release notes.

Perform the following steps before starting the upgrade:

1. Make sure the latest system updates are installed by running **zypper patch**.
2. Read the release notes. Find the list of all changes, new features and known issues in the [release notes](https://www.suse.com/releasenotes/) (<https://www.suse.com/releasenotes/>) .

Consult the release notes to check whether the following applies:

- Your hardware needs special considerations
  - Any currently used software packages have changed significantly
  - Your installation requires special precautions
3. Back up your data by copying the existing configuration files to a separate medium (such as a tape device or removable hard disk). This primarily applies to files stored in `/etc` and some directories and files in `/var` and `/opt`.
  4. Check the available disk space. If you suspect you are running short of disk space, free up disk space or resize partitions.

5. If your machine serves as a VM Host Server for KVM, properly shut down all running VM Guests prior to the upgrade.

## 4 Customizing the upgrade process

The upgrade live image is preconfigured to run without any further setup. The following configuration options are completely optional. Change only what is necessary and only if you know what you are doing.

### 4.1 Optional configuration of the upgrade process

The migration system reads a custom configuration file from the system to be upgraded. The content of this file modifies the behavior of the upgrade process. Prior to the start of the upgrade process, create the following file if a change of the default behavior is needed:

```
> sudo ssh INSTANCE_USER@IP_OF_INSTANCE touch /etc/sle-migration-service.yml'
```

The custom config file supports the following settings:

#### Control Zypper Installation Mode

If the upgrade process is used on systems that are not registered or for which the repository server has no upgrade path, it is required to switch off the use of the migration workflow.

```
use_zypper_migration: true|false
```



#### Note

The use of the migration workflow is the default behavior. If the migration workflow is not used, the setup of the repositories must be performed manually. Once done, the upgrade process uses **zypper dup** and expects all required repositories to be set up correctly.

## Specify Migration Product

By default, the system will be migrated to SLES 16.0. This default target can be changed through the `migration_product` setting. The product must be specified with the triplet `name/version/arch` found in `/etc/products.d/baseproduct` of the target product, for example:

```
migration_product: SLES/16.0/x86_64
```



## Warning

Changing the default product leads to unsupported territory and is not tested nor covered by the SUSE support offering. The specified product name must be supported by the repository server used for the migration. If the given product does not exist or the repository server cannot calculate an upgrade path, an error message from the repository server will be logged in the migration log file.

## Preserve System Data

Preserve custom data files, such as udev rules, from the system being migrated and ensure they are applied in the upgraded system.

The `preserve` section has three subsections that govern file preservation and system actions:

- `static`: Files in this subsection are copied into the DMS directly, with no further processing.
- `rules`: If this subsection contains files, they are preserved, and the DMS reloads udev to make these rules effective.
- `sysctl`: Preserving these files triggers `sysctl --system` to apply the configuration changes.

```
preserve:
  rules:
    - /etc/udev/rules.d/a.rules
    - /etc/udev/rules.d/b.rules
  static:
    - /etc/sysconfig/proxy
    - /path/to/be/preserved/*.suffix
```



## Note

udev rules that require custom drivers will not have the desired effect as the migration system will not include these drivers and therefore execution of those rules will fail. Rules with such properties should not be listed.



## Note

The DMS provides a set of default preservable files that vary based on the target version and architecture. User-defined values will supplement this default list.

### Enable Debug Mode

If enabled, it prevents the upgrade system from rewinding the setup steps and rebooting due to a failed upgrade, allowing the issue to be debugged.

```
debug: true|false
```

### Configure Reboot Method

By default, the migration system uses kexec to boot back into the host system once migration is complete. If this is in any way problematic, a regular reboot can be requested by setting soft\_reboot: false.

```
soft_reboot: true|false
```

### Enable verbosity for zypper migration

If enabled, it will run the zypper migration plugin with increased verbosity.

```
verbose_migration: true|false
```

### Enable the fix option for pre\_checks

If enabled (default), the run\_pre\_checks systemd process will use the --fix option to automatically remediate applicable issues before the migration is started.

```
pre_checks_fix: true|false
```

### Configure Make initrd Method

The live system may not contain all the tools required to create an initrd that meets the needs of the system being upgraded. Building a host-independent initrd will create an initrd that includes the tools and modules available on the system being upgraded. If needed, a host-independent initrd can be created by setting build\_host\_independent\_initrd: True.



```
build_host_independent_initrd: true|false
```

### Configure Dependency Solver Test Case Generation

It is possible that during the migration packages get installed that were not on the system previously and are pulled in because of dependencies. This setting will set up the migration so that a solver test case is generated. The information from the test case can then be used to understand why a given package was installed.

```
debug_solver: true|false
```

## 5 Performing the upgrade

This section describes the actual upgrade procedure with the distribution migration system.

### 5.1 Requirements

- The system must be registered with the SUSE Customer Center or an RMT server. "Pay as you go" instances in the public cloud are automatically registered to the SUSE-operated update infrastructure.
- The upgrade path must be supported. Currently, it is only possible to upgrade from SUSE Linux Enterprise Server 15 SP7 to 16.0. It is possible to configure other versions of SUSE Linux Enterprise Server as the migration target, but doing so is not a tested or supported use case.
- The server that provides the migration target must have the appropriate repositories synced, and they must be up to date. This requirement is automatically met by the SUSE Customer Center, and the SUSE-operated update infrastructure in the public cloud. If you are using an RMT server, make sure to mirror all relevant channels.
- The operating system needs to reside on a single partition. Support for multiple partitions, such as LVM, is limited to configurations where the separated partitions do not contain OS-critical data or processes. For example, a separate `/home` partition will function whereas a separate `/var` will not.



## Note: SSH access during upgrade

During the upgrade, it is only possible to log in via SSH key-based login. If your system is not configured for it, it is recommended that at least one of the users on the system has a `~/.ssh/authorized_keys` file with a private key accessible by the person executing the system upgrade.

## 5.2 Upgrading to SUSE Linux Enterprise Server 16.0

The distribution migration process can be invoked using two different methods. One method is the `run_migration` included with the `SLES16-Migration` package. The second method to invoking the migration process is via reboot after installing the `suse-migration-sle16-activation` package.

Depending on your architecture, perform the following steps for your architecture to trigger the upgrade:

### Use `reboot` on AMD64/Intel 64, AArch64, ppc64le

After installing the `suse-migration-sle16-activation` package, start the migration process by rebooting the system:

```
> sudo zypper in suse-migration-sle16-activation
> sudo reboot
```

The `suse-migration-sle16-activation` package installs `SLES16-Migration` as a dependency and modifies the bootloader configuration to boot into the upgrade image.

### Use `run_migration` on s390x:

Modifying the boot loader configuration is not supported on s390x, so you start the migration directly with `run_migration`.

```
> sudo zypper in SLES16-Migration
> sudo run_migration
```

The `run_migration` utility uses `Kexec` and does not work in Xen-based environments. If `Kexec` causes a kernel panic, refer to the TID at [https://www.suse.com/support/kb/doc/?id=000019733](https://www.suse.com/support/kb/doc?id=000019733) and set the `soft_reboot` customization option.

## 6 Finishing the upgrade

After the upgrade, you need to perform some additional tasks. The following section guides you through these steps.

1. Use **zypper packages** to check for orphaned and unneeded packages.

- a. Orphaned packages are no longer available in any of the configured package repositories. They can no longer get updated and become unsupported.

For a list of orphaned packages, run:

```
> zypper packages --orphaned
```

- b. Unneeded packages are dependencies of packages that have been installed either explicitly by the user or implicitly as part of a pattern or product, and that have been removed in the meantime. They are usually no longer needed and should be removed, too.

For a list of unneeded packages, run:

```
> zypper packages --unneeded
```



### Tip

To avoid unneeded packages, use **zypper rm** with the `--clean-deps` option.

- c. You can combine both lists into one:

```
> zypper packages --orphaned --unneeded
```

- d. Use these lists to determine which packages are still needed and which can be safely removed.



### Warning: Do not remove packages you need

If packages are renamed or removed from a pattern or product, **zypper** may no longer consider them explicitly installed and mark them as unneeded, even though they are still crucial for your installation.

Carefully review the list of packages you are removing.

To remove all orphaned and unneeded packages with a single command, run:

```
> sudo zypper rm $(zypper --no-refresh packages --orphaned --unneeded | gawk '{print $5}' | tail -n +5)
```

Exclude a single package or pattern from being uninstalled:

```
> sudo zypper rm $(zypper --no-refresh packages --orphaned --unneeded | gawk '{print $5}' | tail -n +5 | grep -v PACKAGE_TO_EXCLUDE)
```

Exclude multiple packages defined in a text file, separated by a newline:

```
> sudo zypper rm $(zypper --no-refresh packages --orphaned --unneeded | gawk '{print $5}' | tail -n +5 | grep -v -f /PACKAGES/TO/KEEP.txt)
```

2. Check for any `*.rpmnew` and `*.rpmsave` files. When an upgrade includes changes to a default configuration file that has been altered after package installation, instead of overwriting the file, one of these file types is created. While `*.rpmnew` contains the new default configuration and leaves your altered file untouched, `*.rpmsave` is a copy of your altered configuration that has been replaced by the new default file.

If you find any of these files, examine their content and merge desirable changes. You do not need to search the whole file system, only the `/etc` directory. Use the following command:

```
> find /etc/ -name "*.rpmnew" -o -name "*.rpmsave"
```

## 7 For more information

For more information about the Distribution Migration System, refer to <https://documentation.suse.com/suse-distribution-migration-system/15/html/distribution-migration-system/>. 

## 8 Legal Notice

Copyright© 2006–2025 SUSE LLC and contributors. All rights reserved.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or (at your option) version 1.3; with the Invariant Section being this copyright notice and license. A copy of the license version 1.2 is included in the section entitled “GNU Free Documentation License”.

For SUSE trademarks, see <https://www.suse.com/company/legal/>. All other third-party trademarks are the property of their respective owners. Trademark symbols (®, ™ etc.) denote trademarks of SUSE and its affiliates. Asterisks (\*) denote third-party trademarks.

All information found in this book has been compiled with utmost attention to detail. However, this does not guarantee complete accuracy. Neither SUSE LLC, its affiliates, the authors, nor the translators shall be held liable for possible errors or the consequences thereof.

## A GNU Free Documentation License

Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc. 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA. Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or non-commercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

## 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

## 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or non-commercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

### 3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.



## 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

## 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

## 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

## 7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

## 8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

## 9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

## 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <https://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

## ADDENDUM: How to use this License for your documents

```
Copyright (c) YEAR YOUR NAME.  
Permission is granted to copy, distribute and/or modify this document  
under the terms of the GNU Free Documentation License, Version 1.2  
or any later version published by the Free Software Foundation;  
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.  
A copy of the license is included in the section entitled "GNU  
Free Documentation License".
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

```
with the Invariant Sections being LIST THEIR TITLES, with the  
Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.