

# Présentation de Valkey

## CONTENU

Valkey est un magasin de structures de données en mémoire Open Source qui excelle en tant que base de données, cache, courtier de messages et moteur de streaming. Valkey fournit un magasin de données en mémoire très performant, évolutif et polyvalent, essentiel pour rendre les applications plus rapides et gérer efficacement les divers besoins en données avec un multithreading et une fiabilité accrus.

## MOTIF

Découvrez comment installer et configurer Valkey.

## EFFORT

La lecture de cet article vous prendra 40 minutes.

## OBJECTIF

Configuration de Valkey sous SUSE Linux Enterprise Server for SAP Applications ou migration de Redis vers Valkey.

Date de publication : 11 déc 2025

## Table des matières

- 1 À propos de Valkey 2
- 2 Gestion de Valkey 3
- 3 Mentions légales 8
- A GNU Free Documentation License 9

# 1 À propos de Valkey

Valkey est un dérivé de Redis version 7.2.4. Il s'agit d'un magasin de structures de données en mémoire Open Source, concédé sous licence BSD (Berkeley Software Distribution), qui sert de plate-forme polyvalente pour diverses applications. Il excelle en tant que base de données, en assurant un stockage rapide et flexible des données ; en tant que cache, en améliorant de manière significative les performances des applications ; en tant que courtier de messages, en permettant une communication asynchrone ; et même en tant que moteur de streaming pour le traitement des données en temps réel. Valkey s'appuie sur la base de Redis OSS, intègre le multithreading pour améliorer les performances et offre une solution robuste pour les applications exigeant vitesse, évolutivité et diverses fonctionnalités de traitement des données.

Valkey présente de nombreux avantages, dont les suivants :

- Accès rapide et à faible latence aux données stockées en mémoire, idéal pour la mise en cache, l'analyse en temps réel et le courtage de messages.
- Prise en charge de structures de données puissantes et polyvalentes telles que les chaînes, les hachages, les listes, les ensembles, les ensembles triés, les flux et les index géospatiaux.
- Fonctionnalités de persistance par le biais d'instantanés RDB (Redis Database Backup) et de fichiers AOF (Append-Only File) pour récupérer les données après les redémarrages.
- Évolutivité horizontale grâce au partitionnement des données sur plusieurs noeuds.
- Maintien de la compatibilité avec Redis 7.2, ce qui permet de migrer facilement sans modifier les bibliothèques client existantes ni la logique applicative.
- Fonctionnalités intégrées de publication/d'abonnement pour la création de systèmes basés sur des événements ou des messages.

Pour plus d'informations sur Valkey, reportez-vous à la page <https://valkey.io/docs/>.

## 2 Gestion de Valkey

Apprenez à installer Valkey, à utiliser l'outil de ligne de commande et à migrer de Redis vers Valkey.

### 2.1 Configuration d'un fichier de service Valkey

Valkey est un magasin de données en mémoire Open Source qui fait office de base de données, de cache, de courtier de messages et de moteur de streaming.

#### PROCÉDURE 1 : CRÉATION D'UN FICHIER DE SERVICE systemd VALKEY

1. Installez Valkey :

```
> sudo zypper -n in valkey
```

2. Créez un fichier de service `systemd` Valkey :

```
> sudo vi /etc/systemd/system/valkey.service
```

3. Ajoutez ce qui suit au fichier :

```
[Unit]
    Description=Valkey In-Memory Data Store
    After=network.target

    [Service]
    User=valkey
    Group=valkey
    ExecStart=/usr/sbin/redis-server /etc/redis/valkey.conf
    LimitNOFILE=10240
    ExecStop=/usr/bin/valkey-cli shutdown
    Restart=always

    [Install]
    WantedBy=multi-user.target
```

4. Copiez le fichier d'exemple dans le fichier de configuration spécifié :

```
> sudo cp /etc/valkey/default.conf.example /etc/valkey/valkey.conf
```

5. Mettez à jour les autorisations du fichier :

```
> sudo chown valkey:valkey /etc/valkey/valkey.conf
```

6. Démarrez et activez le service Valkey :

```
> sudo systemctl start valkey
```

```
> sudo systemctl enable valkey
```

7. Vérifiez la configuration Valkey :

```
valkey-cli ping
```

Valkey est en cours d'exécution sur votre système lorsque votre commande ping renvoie la réponse PONG.

## 2.2 Interface de ligne de commande Valkey

L'interface de ligne de commande Valkey est utilisée pour gérer, déboguer et tester Valkey. Par défaut, la commande **valkey-cli** se connecte au serveur à l'adresse 127.0.0.1 avec le port 6379.

Voici quelques-unes des options de la commande **valkey-cli** :

-h

Nom d'hôte du serveur avec l'adresse IP par défaut 127.0.0.1.

-p

Port du serveur avec une valeur par défaut de 6379.

-t

Timeout de connexion au serveur en secondes (décimales autorisées). Le timeout par défaut est de 0, ce qui signifie qu'il n'y a pas de limite, et dépend du système d'exploitation.

-s

Le socket du serveur remplace le nom d'hôte et le port.

-a

Mot de passe à utiliser lors de la connexion au serveur. Vous pouvez également utiliser la variable d'environnement `VALKEYCLI_AUTH` pour transmettre ce mot de passe de manière plus sûre. Cet argument est prioritaire lorsque les deux options sont utilisées.

--user

Nom d'utilisateur employé pour envoyer le style ACL (Access Control List), qui est `AUTH username pass`. Option -a requise.

--pass

Mot de passe qui est un alias de l'option -a pour s'aligner sur la nouvelle option --user.

--askpass

Force la saisie du mot de passe via STDIN avec masquage. Si cet argument est utilisé, l'option -a et la variable d'environnement `VALKEYCLI_AUTH` sont ignorées.

-u

URI du serveur au format `valkey://user:password@host:port/dbnum`. Les valeur "user", "password" et "dbnum" sont facultatives. Pour l'authentification sans nom d'utilisateur, utilisez le nom d'utilisateur `default`. Pour TLS, utilisez le schéma `valkeys`.

--help

Permet d'afficher l'aide et de quitter.

--version

Permet d'afficher la version et de quitter.

--cluster help

Liste toutes les commandes disponibles pour le gestionnaire de grappes.

EXEMPLE 1 : VOICI QUELQUES EXEMPLES DE COMMANDES `valkey-cli` DE BASE :

- SET : définit une paire clé-valeur.

```
> valkey-cli SET KEY_NAME "Hello Valkey"
```

Par exemple :

```
> valkey-cli SET TESTKEY "Hello Valkey"
```

- GET : récupère la valeur associée à une clé.

```
> valkey-cli GET TESTKEY
"Hello Valkey"
```

- DEL : supprime une clé.

```
> valkey-cli DEL TESTKEY
(integer) 1
```

1 si supprimée et 0 si introuvable.

- INFO : affiche des informations et des statistiques sur le serveur Valkey.

```
> valkey-cli INFO
Server
redis_version:7.2.4
server_name:valkey
valkey_version:8.0.2
redis_git_sha1:00000000
redis_git_dirty:0
redis_build_id:e0cc1d08b1f9571a
server_mode:standalone
os:Linux 6.12.0-160000.9-default x86_64
arch_bits:64
monotonic_clock:POSIX clock_gettime
multiplexing_api:epoll
gcc_version:13.3.1
process_id:974
process_supervised:no
run_id:32864c141804bcb17cae98145beee86ca251afd7
tcp_port:6379
server_time_usec:1750760734442451
uptime_in_seconds:2780
uptime_in_days:0
hz:10
configured_hz:10
lru_clock:5930270
executable:/usr/sbin/redis-server
config_file:/etc/valkey/valkey.conf
io_threads_active:0
availability_zone:

[...]
```

- MONITOR : diffuse en temps réel toutes les commandes traitées par le serveur Valkey.

```
> valkey-cli MONITOR
OK
```

- KEYS : recherche toutes les clés correspondant à un modèle.

```
> valkey-cli KEYS "*" # All keys
"TESTKEY"
"TESTKEY1"
```

## 2.3 Migration de Redis vers Valkey

Valkey est conçu pour permettre un remplacement fluide, en maintenant la compatibilité avec l'API Redis, le protocole, les données de persistance, les ports et les fichiers de configuration. La transition de Redis vers Valkey est facile pour de nombreuses configurations de base. La procédure suivante suppose que Redis est installé, qu'il est en cours d'exécution et qu'il est chargé avec les données.

### PROCÉDURE 2 : PROCÉDURE DE MIGRATION DE REDIS VERS VALKEY

1. Vérifiez la version actuelle du serveur Redis :

```
> redis-cli info server
# Server
redis_version:7.2.4
redis_git_sha1:00000000
redis_git_dirty:0
redis_build_id:8c22b097984bd350
redis_mode:standalone
[...]
```

2. Installez le paquet `valkey-compat-redis` avec l'option `--force-resolution` :

```
> sudo # zypper in --force-resolution valkey-compat-redis
Refreshing service 'NVIDIA'.
Refreshing service 'openSUSE'.
Loading repository data...
Reading installed packages...
Resolving package dependencies...

The following 2 NEW packages are going to be installed:
  valkey valkey-compat-redis

The following package is going to be REMOVED:
  redis

2 new packages to install, 1 to remove.
```

```
Package download size:      1.3 MiB

Package install size change:
|          5.2 MiB required by packages that will be installed
-245.2 KiB | -    5.4 MiB released by packages that will be removed

Backend: classic_rpmtrans
Continue? [y/n/p/...? shows all options] (y):
```

Le paquet prend vos fichiers de configuration et vos données de persistance existants et les transfère dans Valkey sans nécessiter aucune étape supplémentaire. Cette migration est possible, car Valkey est entièrement compatible avec l'API, le protocole, les données de persistance, les ports et les fichiers de configuration de Redis.

### 3. Démarrez et activez Valkey :

```
> sudo systemctl start valkey
```

```
> sudo systemctl enable valkey
```

### 4. Vérifiez les informations sur le serveur :

```
> redis-cli info server
# Server
redis_version:7.2.4
server_name:valkey
valkey_version:7.2.5
redis_git_sha1:00000000
redis_git_dirty:0
redis_build_id:b0d9f188ef999bd3
redis_mode:standalone
[...]
```

Valkey répond à la fois à `redis_version:7.2.4` et à `valkey_version:7.2.5`. Le maintien de `redis_version` assure une compatibilité maximale, tout en permettant d'identifier le serveur avec `valkey_version`. Valkey comporte un fichier binaire nommé `valkey-cli`, mais lie symboliquement `redis-cli`. Les deux interfaces de ligne de commande ont les mêmes fonctionnalités.

## 3 Mentions légales

Copyright © 2006–2025 SUSE LLC et contributeurs. Tous droits réservés.

Il est autorisé de copier, distribuer et/ou modifier ce document conformément aux conditions de la licence « GNU Free Documentation License » version 1.2 ou (à votre discrétion) 1.3, avec la section permanente qu'est cette mention de copyright et la licence. Une copie de la version de licence 1.2 est incluse dans la section intitulée « GNU Free Documentation License ».

Pour les marques commerciales SUSE, consultez le site Web <https://www.suse.com/company/legal/>. Toutes les autres marques de fabricants tiers sont la propriété de leur détenteur respectif. Les symboles de marque (®, ™, etc.) désignent des marques de SUSE et de ses sociétés affiliées. Des astérisques (\*) désignent des marques commerciales de fabricants tiers.

Toutes les informations de cet ouvrage ont été regroupées avec le plus grand soin. Cela ne garantit cependant pas sa complète exactitude. Ni SUSE LLC, ni les sociétés affiliées, ni les auteurs, ni les traducteurs ne peuvent être tenus responsables des erreurs possibles ou des conséquences qu'elles peuvent entraîner.

## A GNU Free Documentation License

Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc. 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA. Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or non-commercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

## 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only. The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition. The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

## 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or non-commercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

### 3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

## 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

## 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

## 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

## 7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

## 8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

## 9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

## 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <https://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

## ADDENDUM: How to use this License for your documents

```
Copyright (c) YEAR YOUR NAME.  
Permission is granted to copy, distribute and/or modify this document  
under the terms of the GNU Free Documentation License, Version 1.2  
or any later version published by the Free Software Foundation;  
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.  
A copy of the license is included in the section entitled "GNU  
Free Documentation License".
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

```
with the Invariant Sections being LIST THEIR TITLES, with the  
Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.