Understanding Kernel Control Groups

Kernel control groups (cgroups) in SUSE Linux Enterprise Server for SAP applications provide a unified hierarchical framework to organize processes and regulate their consumption of system resources like CPU, memory and I/O. Managed through systemd slices, cgroups v2 enable precise resource accounting and process isolation, preventing resource exhaustion and ensuring high-priority enterprise workloads remain stable and performant under heavy demand.

Prerequisites

- Btrfs, ext4 or XFS file system to enable accurate background writeback tracking
- Active BFQ scheduler or IOCost on block devices for proportional I/O control
- Explicit controller delegation configured for systemd user session instances

Publication Date: 05 Nov 2026

Contents

1 Introduction to Control Groups 3

2 Configuring resource limits and accounting 4

3 Preventing fork bombs with `TasksMax` 5

4 I/O Control with cgroups 7

5 Legal Notice 10

A GNU Free Documentation License 10

1 Introduction to Control Groups

Kernel control groups provide a hierarchical framework for organizing processes to monitor, isolate, and limit their consumption of system resources like CPU, memory, and I/O.

Every process is assigned to exactly one administrative control group (cgroup). These cgroups are organized into a unified hierarchical tree structure, allowing you to manage resource allocation for individual processes or entire branches of the hierarchy simultaneously. You can define specific limitations for system resources.

1.1 The role of `systemd` slices

On SUSE Linux Enterprise Server for SAP applications, `systemd` serves as the primary manager for cgroups. Instead of requiring administrators to interact with the raw cgroup file system manually, `systemd` abstracts this management by organizing all processes into logical units called slices (`.slice` units).

This integration bridges the gap between `systemd` service management and the kernel's resource tracking through several key mechanisms:

- **Direct hierarchical mapping**: Slices represent inner nodes in a tree that maps directly onto the kernel’s cgroup directory structure
- **Built-in partitioning**: By default, systemd automatically organizes the operating system into distinct root slices to prevent workloads from interfering with each other. `systemd` uses these root slices:
  - `system.slice` for services
  - `user.slice` for user sessions
  - `machine.slice` for managing resources of virtual machines
  - `init.scope` to host the PID1 process itself

To visualize your current system organization, use the `systemd-cgls` command to display the hierarchy tree.

1.2 The unified hierarchy (cgroup v2)

The Linux kernel previously supported two API variants (v1 and v2). SLES for SAP exclusively utilizes the unified (v2) hierarchy as the default and recommended mode.

Unified hierarchy (cgroup v2)

A single hierarchy where all resource controllers are managed under a unified structure, providing better consistency and easier resource accounting.

Hybrid/Legacy cgroup support (v1)

`cgroup v1` is functionally obsolete and unsupported in SUSE Linux Enterprise Server for SAP applications 16.1. If cgroup v1 needs to be used, switch to older SLES for SAP releases.

2 Configuring resource limits and accounting

Beyond simply organizing processes, the integration between `systemd` and cgroups provides you with the dual capability to both measure and restrict resource consumption. Before applying strict constraints, `systemd` allows you to audit exactly how much CPU, memory, or I/O a workload uses. Once you establish these baselines, you can enforce runtime limitations dynamically to protect system stability.

2.1 Resource accounting

Organizing processes into different `cgroups` can be used to obtain per-cgroup resource consumption data. The accounting has comparatively small but non-zero overhead, whose impact depends on the workload. Activating accounting for one unit also implicitly activates it for all units in the same slice, and for all its parent slices, and the units contained in them.

The accounting can be set on a per-unit basis with directives such as `MemoryAccounting=` or globally for all units in `/etc/systemd/system.conf` with the directive `DefaultMemoryAccounting=`.

2.2 Setting resource limits



Note: Implicit resource consumption

Be aware that resource consumption implicitly depends on the environment where your workload executes (for example, size of data structures in libraries/kernel, forking behavior of utilities, computational efficiency). Hence it is recommended to (re)calibrate your limits should the environment change.

Limitations to `cgroups` are primarily set with the **`systemctl set-property`** command. The command syntax follows:

```
> sudo systemctl set-property [--runtime] NAME PROPERTY1=VALUE[PROPERTY2=VALUE]
```

- `NAME`: A `systemd` service, scope, or slice name.
- `--runtime`: Optional. Use this if you do not want values to persist after reboot.
- `PROPERTY`: for a complete list, see **`man systemd.resource-control`**.

3 Preventing fork bombs with TasksMax

`systemd` provides the `TasksMax` parameter to limit the number of tasks (processes and threads) within a unit or slice. This serves as a critical defense against "fork bombs" and run-away processes that could otherwise exhaust the system's Process ID (PID) pool.

While upstream `systemd` defaults to 15% of the kernel global limit (viewable via **`sysctl kernel.pid_max`**), SLES for SAP overrides this behavior to provide maximum compatibility for high-performance workloads.

3.1 Identifying default TasksMax values

In SLES for SAP, the default `TasksMax` value for both system units and user slices is set to `infinity`. This means no restriction is enforced by default. These overrides are located in the following vendor configuration files:

- System units: `/usr/lib/systemd/system.conf.d/25-defaults-SLE.conf`
- User slices: `/usr/lib/systemd/system/user-.slice.d/25-defaults-SLE.conf`

To verify the effective `DefaultTasksMax` on your system, run:

```
systemctl show --property DefaultTasksMax
```



Important

While `infinity` prevents service disruption due to reaching task limits, it leaves the system vulnerable to resource exhaustion. We recommend setting explicit limits for services that might be prone to exploits.

For more information, you can also refer to Configuring and tuning process and threads limits (https://support.scc.suse.com/s/kb/Configuring-and-tuning-process-and-threads-limits?language=en_US)

3.2 Overriding the `DefaultTasksMax` value

To set a global default limit for all system units, create a drop-in file at `/etc/systemd/system.conf.d/90-system-tasksmax.conf`. For example, to limit each unit to 256 tasks:

```
[Manager]
DefaultTasksMax=256
```

Apply the configuration and verify the change:

```
sudo systemctl daemon-reload
systemctl show --property DefaultTasksMax
```

3.2.1 Setting per-service limits

Specific applications, such as large databases, often require more tasks than the global default. You can override the limit for a specific service (for example, MariaDB) using **`systemctl set-property`**:

```
sudo systemctl set-property mariadb.service TasksMax=8192
```

This command creates a persistent drop-in file at `/etc/systemd/system/mariadb.service.d/50-TasksMax.conf`. Verify the new limit in the `Tasks:` line of the service status:

```
Tasks: 30 (limit: 8192)
```

3.3 Configuring task limits for user sessions

User sessions often require higher limits than system services. To set a custom default for all users, create `/etc/systemd/system/user-.slice.d/40-user-taskmax.conf`:

```
[Slice]
```

```
TasksMax=16284
```



Tip

If a `TasksMax` limit is too restrictive, the system logs will report errors such as `Failed to fork (Resource temporarily unavailable)`. Incrementally increase the limit until the workload stabilizes.

4 I/O Control with cgroups

The following section outlines how to prioritize, isolate, and throttle disk input/output (I/O) operations by using `systemd` to manage the Linux kernel's block I/O controller. It defines the mandatory file system and storage scheduler prerequisites, demonstrates how to enforce limits on both persistent services and transient scopes, and details critical behavioral nuances—such as direct versus buffered I/O—that impact resource distribution across the system.

4.1 Prerequisites

Before configuring I/O control, ensure your system meets the following requirements. These settings generally cannot be changed during runtime.

4.1.1 File System Support

You must use a file system that supports cgroup writeback to enable accurate writeback charging. Supported file systems include:

- Btrfs (v4.3+)
- Ext4 (v4.3+)
- XFS (v5.3+)

4.1.2 Block I/O Scheduler

Proportional I/O control requires a specific scheduler. SUSE recommends the `BFQ` controller.

To verify the current scheduler for a device (for example, `sda`):

```
cat /sys/class/block/sda/queue/scheduler
mq-deadline kyber bfq [none]
```

To switch the scheduler to `BFQ`:

```
echo bfq > /sys/class/block/sda/queue/scheduler
```



Note

Apply this setting to the disk device itself, not a partition. The optimal way to set this attribute is a udev rule specific to the device. SLES for SAP includes `udev` rules that automatically enable BFQ for rotational drives. As an alternative to BFQ, the io.cost-based I/O controller operates independently of the I/O scheduler. However, this proportional control mechanism requires manual tuning of its cost-based model parameters.

4.2 Configuring Control Quantities

Apply I/O limits permanently to services using **`systemctl`**:

```
sudo systemctl set-property fast.service IOWeight=400
sudo systemctl set-property slow.service IOWeight=50
sudo systemctl set-property throttled.service IOReadBandwidthMax="/dev/sda 1M"
```

Alternatively, use **`systemd-run`** to apply limits to transient scopes:

```
sudo systemd-run --scope -p IOWeight=400 high_prioritized_command
```

4.3 I/O control behavior and expectations

The following list items describe I/O control behavior, and what you should expect under different conditions.

- I/O control works best for direct I/O operations (bypassing page cache). The situations where the actual I/O is decoupled from the caller (typically writeback via page cache) may manifest variously. For example, delayed I/O control or even no observed I/O control (consider little bursts or com-

peting workloads that happen to never “meet,” submitting I/O at the same time, and saturating the bandwidth). For these reasons, the resulting ratio of I/O throughput does not strictly follow the ratio of configured weights.

- systemd performs scaling of configured weights (to adjust for narrower BFQ weight range), hence the resulting throughput ratios also differ.
- The writeback activity depends on the amount of dirty pages, besides the global sysctl knobs (`vm.dirty_background_ratio` and `vm.dirty_ratio`)). Memory limits of individual cgroups come into play when the dirty limits are distributed among cgroups, and this in turn may affect I/O intensity of affected cgroups.
- Not all storages are equal. The I/O control happens at the I/O scheduler layer, which has ramifications for setups with devices stacked on these that do no actual scheduling. Consider device mapper logical volumes spanning multiple physical devices, MD RAID, or even Btrfs RAID. I/O control over such setups may be challenging.
- There is no separate setting for proportional I/O control of reads and writes.
- Proportional I/O control is only one of the policies that can interact with each other (but responsible resource design perhaps avoids that).
- The I/O device bandwidth is not the only shared resource on the I/O path. Global file system structures are involved, which is relevant when I/O control is meant to guarantee certain bandwidth; it does not, and it may even lead to priority inversion (prioritized cgroup waiting for a transaction of slower cgroup).
- So far, we have been discussing only explicit I/O of file system data, but swap-in and swap-out can also be controlled. Although if such a need arises, it points to improperly provisioned memory (or memory limits).

4.4 Resource Control in User Sessions

SLES for SAP ships with a default `systemd` configuration that delegates no controllers for performance reasons. To enable resource control within a user session, create a drop-in file at `/etc/systemd/system/user@.service.d/60-delegate.conf`:

```
[Service]
Delegate=pids memory
```

After modifying the configuration, notify the instances:

```
sudo systemctl daemon-reload
systemctl --user daemon-reexec
```

Alternatively, the affected user may log out and log in instead of applying the second line to restart their user instance.

5 Legal Notice

Copyright© 2006– 2026 SUSE LLC and contributors. All rights reserved.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or (at your option) version 1.3; with the Invariant Section being this copyright notice and license. A copy of the license version 1.2 is included in the section entitled “GNU Free Documentation License”.

For SUSE trademarks, see https://www.suse.com/company/legal/. All other third-party trademarks are the property of their respective owners. Trademark symbols (®, ™ etc.) denote trademarks of SUSE and its affiliates. Asterisks (*) denote third-party trademarks.

All information found in this book has been compiled with utmost attention to detail. However, this does not guarantee complete accuracy. Neither SUSE LLC, its affiliates, the authors, nor the translators shall be held liable for possible errors or the consequences thereof.

A GNU Free Documentation License

Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc. 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA. Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or non-commercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or non-commercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this

License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

C. State on the Title page the name of the publisher of the Modified Version, as the publisher.

D. Preserve all the copyright notices of the Document.

E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

H. Include an unaltered copy of this License.

I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.

N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.

O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See https://www.gnu.org/copyleft/.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

```
Copyright (c) YEAR YOUR NAME.
```

```
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.2
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled “GNU
Free Documentation License”.
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the “with...Texts.” line with this:

```
with the Invariant Sections being LIST THEIR TITLES, with the
Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.