

An overview of supported High Availability Solutions by SLES for SAP applications

Fabian Herschel, Lars Pinne, and Sherry Yu

SUSE Linux Enterprise Server for SAP applications is the leading Linux platform for SAP HANA, SAP S/4HANA, and SAP NetWeaver, and an Endorsed App by SAP. Two of the key components of SLES for SAP applications are the SUSE Linux Enterprise High Availability (HAE) and resource agents. The HAE provides Pacemaker, an open source cluster framework. The resource agents manage automated failover of SAP HANA system replication, S/4HANA ASCS/ERS ENSA2, and NetWeaver ASCS/ERS ENSA1.

This document provides an overview of High Availability solutions that SUSE supports for SAP HANA, S/4HANA, and NetWeaver on SUSE Linux Enterprise Server 15. New solutions will be added when they become available.

Publication Date: December 18, 2025

Contents

- 1 Support statement 3
- 2 HA solutions for SAP HANA system replication 5
- 3 HA solutions for S/4HANA based on ABAP Platform 1809 or newer 16

- 4 HA solutions for SAP NetWeaver based on ABAP Platform 1709 or older **19**
- 5 Documentation and configuration guides **22**
- A GNU licenses **22**

1 Support statement

1.1 Supportability definition

| Category | Definition |
|-------------------------------|--|
| Mandatory | De facto, must be implemented this way. |
| Supported | Supported, with a published configuration guide. |
| Supported but undocumented | Supported, but a configuration guide is not published. SUSE will accept bug reports and fix code, if needed. |
| Supported with consulting PoC | Support is possible if the consulting PoC proves to be working. |
| Non-supported | Not supported or not applicable. |
| Planned | On the roadmap to be tested and supported. |
| Legacy | Only supported for older release legacy systems. |

1.2 Infrastructure support

The infrastructure can be on-premises, physical, virtualization, or in public cloud. The infrastructure must be supported by both SAP and the High Availability so that important functions like STONITH and virtual IP are supported.

Public cloud deployment usually needs additional documentation focusing on the cloud-specific implementation details. Check the documentation provided by the respective public cloud vendor.

The support details for SUSE High Availability solutions for SAP and the support process for each public cloud vendor are defined in the following SAP Notes:

| Company | SAP Note |
|-----------------|--|
| SUSE | SAP Note 1763512 (https://launchpad.support.sap.com/#/notes/1763512) ↗: Support details for SUSE Linux Enterprise for SAP Applications - HA Solution for SAP NetWeaver and SAP S/4HANA |
| Microsoft Azure | SAP Note 2513384 (https://launchpad.support.sap.com/#/notes/2513384) ↗: SUSE Linux Enterprise Server for SAP applications on Azure |
| AWS | SAP Note 1656099 (https://launchpad.support.sap.com/#/notes/1656099) ↗: SAP Applications on AWS: Supported DB/OS and AWS EC2 products |
| Google Cloud | SAP Note 2456432 (https://launchpad.support.sap.com/#/notes/2456432) ↗: SAP Applications on Google Cloud: Supported Products and GCP VM types |

For more details, see the SUSE knowledgebase article [SLES for SAP - How To Engage SAP and SUSE to address Product Issues \(https://www.suse.com/support/kb/doc/?id=000019000\)](https://www.suse.com/support/kb/doc/?id=000019000) ↗.



Note

If necessary, all documented SUSE High Availability scenarios can run the SAP workload while the High Availability cluster is temporarily disabled.

1.3 Supported SUSE software versions

The general SUSE software lifecycle applies for the described scenarios. See the SUSE lifecycle page for details: <https://www.suse.com/lifecycle/#suse-linux-enterprise-server-for-sap-applications-15>.

Usually all mentioned High Availability scenarios are supported on all currently supported service packs of SLES for SAP applications 15. Exceptions are documented in detail in the setup guides and are listed below:

SAP HANA system replication scale-up – cost optimized scenario

Supported starting with 15 SP2.




Note

This document applies to SLES for SAP applications 15. Version 12 SP5 is still supported but not covered by this document, as SUSE strongly recommends using version 15 for new installations. If you need details about version 12, check the individual guides available at <https://documentation.suse.com/sbp/sap-12/>.

2 HA solutions for SAP HANA system replication

2.1 Overview of SAP HANA system replication

SAP HANA system replication (HSR) provides the ability to copy and continuously synchronize an SAP HANA database to a secondary location in the same or another data center. SAP HANA system replication is implemented between two different SAP HANA systems with the same number of active nodes. After system replication is set up between the two SAP HANA systems, it replicates all the data from the primary SAP HANA system to the secondary SAP HANA system (initial copy). After this, any logged changes in the primary system are also sent to the secondary system.



Overview of system replication with single nodes

If the primary SAP HANA system fails, the system administrator must perform a manual takeover. Takeover can be performed using SAP HANA Cockpit or the command line. Manual failover requires continuous monitoring and could lead to higher recovery time. To automate the failover process, the SUSE Linux Enterprise High Availability can be used. Using the High Availability for the takeover process helps customers achieve service-level agreements for SAP HANA downtime by enabling faster recovery without any manual intervention.

Multiple SAP HANA High Availability scenarios are supported based on SAP HANA system replication. For variations, contact SUSE to discuss defining a PoC for a scenario that is not mentioned in the documentation.

You can use SAP HANA Fast Restart on RAM-tmpfs and SAP HANA on persistent memory if they are transparent to the High Availability cluster.

SAP HANA Native Storage Extension (NSE) is supported in High Availability solutions for automated SAP HANA system replication in both Scale-up and Scale-out. This feature does *not* change the SAP HANA topology or interfaces to the High Availability cluster. However, unlike SAP HANA NSE, the HANA Extension Nodes *do* change the topology and are therefore not currently supported by SUSE Linux Enterprise High Availability. Refer to the SAP documentation for details of SAP HANA NSE and its functional restrictions.

2.2 Notation formula




| Notation | Definition |
|----------|---|
| A, B, C | HANA scale-up instance or HANA scale-out site |
| = > | Sync, syncmem replication |
| -> | Async replication |
| ' | Primary IP address |
| " | Secondary IP address |
| () | SUSE cluster |

2.3 HA solutions for automated SAP HANA system replication in HANA scale-up

The support details are for high level overview only. Refer to the official documentation for the full conditions.


TABLE 1: SUPPORTED CONFIGURATIONS FOR AUTOMATED SAP HANA SYSTEM REPLICATION IN HANA SCALE-UP

| Supported configurations | Status | Support details |
|---|---|--|
| HANA performance optimized, plain setup | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SLES4SAP-hana-sr-guide-PerfOpt-15/index.html)) | (A' = > B) Secondary site is not read-only enabled, so does not accept client's inquiries. |
| HANA performance optimized, secondary site read-enabled | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SLES4SAP-hana-sr-guide-PerfOpt-15/index.html)) | (A' = > B'') Secondary site is read-enabled and can accept client's read-only inquiries. |
| HANA cost optimized | Supported (Documentation (https://documentation.suse.com/sbp/all/html/ | (A' = > B, Q'') topology is supported. Q is a QA instance |

| Supported configurations | Status | Support details |
|---|---|--|
| | SLES4SAP-hana-sr-guide-costopt-15/index.html ) | running on the secondary site. |
| HANA multi-tier system replication (replication chain), third site NOT managed by Pacemaker | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SLES4SAP-hana-sr-guide-PerfOpt-15/index.html) ) | (A' = > B) -> C topology is supported with conditions: A to B system replication in Pacemaker is supported. B to C system replication is not managed by Pacemaker. |
| HANA multi-target system replication, third site NOT managed by Pacemaker | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SLES4SAP-hana-sr-guide-PerfOpt-15/index.html) ) | (B <= A') -> C topology is supported with conditions: A to B system replication in Pacemaker is supported. A to C system replication is not managed by Pacemaker. |
| Multi-tenancy or MDC | Supported | This scenario is supported since SAP HANA 1.0 SPS09. The setup and configuration from a cluster point of view is the same for multi-tenancy and single container, so existing documentation can be used. |
| HANA multi-SID performance optimized in one cluster (MCOS) | Supported but undocumented | |
| HANA performance optimized and S/4HANA ENSA2 in one cluster | Supported but undocumented | |
| HANA performance optimized cluster and stand-alone application server | Supported but undocumented | |


Below is a summary of the most common configurations:

Performance optimized, including read-enabled on the secondary site (A => B)



In the performance optimized scenario, an SAP HANA RDBMS site A is synchronizing with an SAP HANA RDBMS site B on a second node. As the SAP HANA RDBMS on the second node is configured to preload the tables, the takeover time is typically very short. Read access can be allowed on the secondary site. To support this read-enabled scenario, a second virtual IP address is added to the cluster and bound to the secondary role of the system replication.


Cost optimized (A => B, Q)



In the cost optimized scenario, the second node is also used for a stand-alone non-replicated SAP HANA RDBMS system (such as QAS or TST). Whenever a takeover is needed, the non-replicated system must be stopped first. As the productive secondary system on this node must be limited in using system resources, the table preload must be switched off. A possible takeover needs more time than in the performance optimized use case. We recommend running a PoC to determine the SLA before using it in production.


The secondary productive system needs to be running in a reduced memory consumption configuration, so read-enabled must not be used in this scenario. The HADR provider script needs to remove the memory restrictions when a takeover occurs, so multi-SID (MCOS) must not be used in this scenario either.

Multi-target (B <= A') -> C



Multi-target system replication is supported in SAP HANA 2.0 SPS04 or newer. Only the first replication pair (A and B) is managed by the cluster. The main difference between multi-target and multi-tier (chain) replication is that multi-target allows auto-registration for HANA after takeover.

Multi-tier (A' => B) -> C




In SAP HANA 2.0 SPS03 or older, where multi-target system replication is not available, the third side replicates the secondary in a chain topology. Only the first replication pair (A and B) is managed by the cluster. Because of the mandatory chain topology, the resource agent feature `AUTOMATED_REGISTER=true` is not possible with pure multi-tier replication. (A' => B) -> C topology is supported with the following conditions:

- A to B system replication in Pacemaker is supported.
- B to C system replication is not managed by Pacemaker.
- After takeover from A to B, manual intervention is needed for rejoining A.

2.4 HA solutions for automated SAP HANA system replication in HANA scale-out

Pacemaker manages the automated failover of SAP HANA system replication between two sites of HANA scale-out clusters. An auxiliary third site is needed for the decision-maker node.



The support details are for high level overview only. Refer to the official documentation for the full conditions.

TABLE 2: SUPPORTED CONFIGURATIONS FOR AUTOMATED SAP HANA SYSTEM REPLICATION IN HANA SCALE-OUT

| Supported configurations | Status | Support details |
|--|---|--|
| HANA performance optimized, up to 30 nodes including standby | Supported (Documentation (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-scale-Out-PerfOpt-15/index.html)) | Up to 30 HANA nodes including standby nodes. |
| HANA performance optimized, up to 12 nodes, no standby | Supported (Documentation (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-scale- | Up to 12 HANA nodes, NO standby nodes. |

| Supported configurations | Status | Support details |
|---|---|--|
| | out-multitarget-perfopt-15/index.html ↗) | |
| HANA performance optimized, up to 4 nodes, secondary site read-enabled | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SLES4SAP-hana-scaleOut-PerfOpt-15/index.html) ↗) | Up to 4 HANA nodes, NO standby nodes. |
| HANA multi-target system replication, third site NOT managed by the cluster | Supported (Documentation (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-scale-out-multitarget-perfopt-15/index.html) ↗) | (B <= A') -> C topology is supported with conditions: Site A to site B system replication in Pacemaker is supported. Site A to site C system replication is not managed by Pacemaker. |
| HANA multi-tier system replication, third site NOT managed by the cluster | Supported (Documentation (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-scale-out-multitarget-perfopt-15/index.html) ↗) | (A' = > B) -> C topology is supported with conditions: A to B system replication in Pacemaker is supported. B to C system replication is not managed by Pacemaker. |
| Performance optimized, multi-tenancy (MDC) | Supported | Multi-tenancy is available for all of the supported scenarios and use cases. This scenario is supported since SAP HANA 1.0 SPS12, and the default installation type for SAP HANA 2.0. The setup and configuration from a cluster point of view is the same for multi-tenancy and single containers because the tenants |

| Supported configurations | Status | Support details |
|--------------------------|--------|--|
| | | are managed all together by the Pacemaker cluster. |

2.5 HANA database HADR provider hook scripts

SUSE provides several hook scripts to enhance the integration between SAP HANA and the SUSE High Availability cluster. The SUSE best practice configuration guides explain how to use and configure these hooks.

| Script | Usage |
|---|---|
| SAPHanaSR.py SAPHanaSrMultiTarget.py | Mandatory for data integrity in case of cluster sr_takeover |
| susTkOver.py | Protects from data inconsistency caused by manual sr_takeover |
| susChkSrv.py | Avoids downtime caused by local indexserver restart |
| susCostOpt.py | Handles secondary site in case of cluster sr_takeover |

TABLE 3: SUPPORTED SCENARIOS FOR HADR PROVIDER HOOK SCRIPTS


| HADR provider hook script | Scenario | | |
|---------------------------|---|---|---|
| | Scale-up | | Scale-out |
| | Cost optimized | Performance optimized | Performance optimized |
| SAPHanaSR.py | Mandatory (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-sr-guide-costopt-15/) | Mandatory (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-sr-guide-Per-) | Legacy (mandatory for all versions before SAP HANA 2.0 SPS03) |

| HADR provider hook script | Scenario | | |
|------------------------------|--|---|---|
| | Scale-up | | Scale-out |
| | Cost optimized | Performance optimized | Performance optimized |
| | index.html#cha.s4s.hana-hook ↗ | fOpt-15/index.html#cha.s4s.hana-hook ↗ | |
| SAPHanaSrMultiTarget.py | - | - | Mandatory (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-scaleOut-PerfOpt-15/index.html#id-integrating-sap-hana-with-the-cluster) ↗ |
| susTkOver.py | Supported but undocumented | Not mandatory but recommended (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-sr-guide-PerfOpt-15/index.html#cha.s4s.hana-hook) ↗ | Not mandatory but recommended (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-scaleout-multitarget-perfopt-15/index.html#id-implementing-sustkover-py-for-pretakeover) ↗ |
| susChkSrv.py | - | Not mandatory but recommended (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-sr-guide-PerfOpt-15/index.html#cha.s4s.hana-hook) ↗ | Not mandatory but recommended |

| HADR provider hook script | Scenario | | |
|------------------------------|---|--|-----------------------|
| | Scale-up | | Scale-out |
| | Cost optimized | Performance optimized | Performance optimized |
| | | fOpt-15/index.html#cha.s4s.hana-hook ↗ | |
| susCostOpt.py | Mandatory (https://documentation.suse.com/sbp/sap-15/html/SLES4SAP-hana-sr-guide-costopt-15/index.html#cha.s4s.hana-hook) ↗ | - | - |

3 HA solutions for S/4HANA based on ABAP Platform 1809 or newer

Standalone Enqueue Server 2 (ENSA2) is the successor to Standalone Enqueue Server (ENSA1). Starting from ABAP Platform 1809, Standalone Enqueue Server 2 is the default installation. The use of the new Standalone Enqueue Server 2 and Enqueue Replicator 2 provides an improved high availability architecture with robust and fast replication, and failover.



The support details are for high level overview only. Refer to the official documentation for the full conditions.

TABLE 4: SUPPORTED CONFIGURATIONS FOR S/4HANA BASED ON ABAP PLATFORM 1809 OR NEWER


| Supported configuration | Status | Support details |
|-------------------------|---|---|
| 2-node cluster | Supported (https://documentation.suse.com/sbp/sap-15/html/SAP-S4HA10-se-tupguide-sle15/index.html) | In a 2-node cluster, ASCS fails over to the same node where ERS is running. |
| 3-node cluster | Supported (https://documentation.suse.com/sbp/sap-15/html/SAP-S4HA10-se-tupguide-simplemount-sle15/index.html) | In a 3-node cluster, ASCS fails over to the online node where ERS is not running. |

| Supported configuration | Status | Support details |
|---|--|---|
| Simple mount file system structure | Supported (Documentation (https://documentation.suse.com/sbp/sap-15/html/SAP-S4HA10-setupguide-simplemount-sle15/index.html) ↗) | Shared file system mounts are NOT managed by the cluster. This is the recommended configuration over the <i>Filesystem</i> resource-based solution. |
| <i>Filesystem</i> resource-based | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SAP-S4HA10-setupguide-sle15/index.html) ↗) | Shared file system mounts are managed by the cluster via the <i>Filesystem</i> resource agent. SUSE still supports this configuration, but it is not recommended for new installations. Use the simple mount file system structure instead. |
| Multi-SID | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SBP-SAP-MULTI-SID/index.html) ↗) | Multiple SAP ASCS/SCS clustered instances are supported in the same cluster. |
| Additional dialog or other instances in cluster | Supported but undocumented | Although it is possible to run Application Servers in the same cluster where ASCS/ERS are running, it is not recommended for easy management of the cluster. |

| Supported configuration | Status | Support details |
|-------------------------------|--|---|
| SAP Web Dispatcher in cluster | Supported (Documentation (https://www.suse.com/c/yes-sap-web-dispatcher-high-availability-on-premise-and-cloud/) ↗ for the <i>Filesystem</i> resource-based setup; not yet documented for the simple mount structure) | <p>This solution combines the following resources into one cluster resource group:</p> <ul style="list-style-type: none"> • An SAP instance including the <code>sapwebdisp</code> service • A file system where the SAP instance is running • An IP address used by the clients of the service |

4 HA solutions for SAP NetWeaver based on ABAP Platform 1709 or older

Under the Standalone Enqueue Server (ENSA1), the ASCS has to fail over to the cluster node where the active ERS is running, because it needs to access the shared memory that stores the enqueue replication table.




The support details are for high level overview only. Refer to the official documentation for the full conditions.

TABLE 5: SUPPORTED CONFIGURATIONS FOR SAP NETWEAVER BASED ON ABAP PLATFORM 1709 OR OLDER





| Supported configuration | Status | Support details |
|------------------------------------|--|---|
| 2-node cluster | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SAP-nw740-sle15-setupguide/index.html) ↗) | In a 2-node cluster, ASCS fails over to the same node where ERS is running. |
| 3-node cluster | Supported but undocumented | A 3-node cluster is supported, but the extra node is not used for ASCS failover. |
| Simple mount file system structure | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SAP-nw740-sle15-setupguide/index.html#id-example-for-the-two-node-cluster) ↗) | Shared file system mounts are NOT managed by the cluster. This is the recommended configuration over the <i>Filesystem</i> resource-based solution. |

| Supported configuration | Status | Support details |
|---|---|---|
| | ter-with-simple-mount-setup) ↗) | |
| <i>Filesystem</i> resource-based | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SAP-nw740-sle15-setupguide/index.html) ↗) | Shared file system mounts are managed by the cluster via the <i>Filesystem</i> resource agent. SUSE still supports this configuration, but it is not recommended for new installations. Use the simple mount file system structure instead. |
| Multi-SID | Supported (Documentation (https://documentation.suse.com/sbp/all/html/SBP-SAP-MULTI-SID/index.html) ↗) | Multiple SAP ASCS/SCS clustered instances are supported in the same cluster. |
| Additional dialog or other instances in cluster | Supported but undocumented | Although it is possible to run Application Servers in the same cluster where ASCS/ERS are running, it is not recommended for easy management of the cluster. |

| Supported configuration | Status | Support details |
|-------------------------------|--|---|
| SAP Web Dispatcher in cluster | Supported (Documentation (https://www.suse.com/c/yes-sap-web-dispatcher-high-availability-on-premise-and-cloud/)  for the <i>Filesystem</i> resource-based setup; not yet documented for the simple mount structure) | <p>This solution combines the following resources into one cluster resource group:</p> <ul style="list-style-type: none"> • An SAP instance including the <code>sapwebdisp</code> service • A file system where the SAP instance is running • An IP address used by the clients of the service |

5 Documentation and configuration guides

Refer to the official Web sites for up-to-date documentation and configuration guides:

- SUSE: <https://documentation.suse.com/sbp/sap-15/> 
- Microsoft Azure: <https://azure.microsoft.com/en-us/solutions/sap/azure-solutions/#documentation> 
- AWS: <https://aws.amazon.com/sap/docs/> 
- Google Cloud: <https://cloud.google.com/solutions/sap/> 

A GNU licenses

This appendix contains the GNU Free Documentation License version 1.2.

GNU Free Documentation License

Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc. 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA. Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or non-commercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or non-commercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <https://www.gnu.org/copyleft/ 3>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

```
Copyright (c) YEAR YOUR NAME.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.2
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled "GNU
Free Documentation License".
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

```
with the Invariant Sections being LIST THEIR TITLES, with the
Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.