

使用 `sudo` 配置超级用户特权

内容

熟悉有关 `sudo` 配置的基础知识，并了解如何使用 `sudo` 委托超级用户特权。本文提供了深入的 `sudo` 配置信息，并未就如何构建全面安全的 `sudo` 策略提供任何建议。与安全相关的策略非常复杂，在很大程度上取决于它们是针对什么环境创建的。

原因

某些命令需要管理员或 `root` 特权。使用 `sudo`，可以将执行这些命令的特权委托给特定的用户或组。

工作量

读完本文最多需要 20 分钟。编写第一个 `sudo` 配置规则只需几分钟时间，但建立一个可在环境中正常运行的 `sudo` 配置需要相当长的时间，具体取决于设置复杂性。

目标

了解 `sudo` 配置的基本方面。掌握 `sudo` 配置的常见使用场景。了解如何在 `sudo` 设置中使用用户、用户组和别名。熟悉 `sudo` 最佳实践和查错技巧。

要求

- 基本了解 sudo。
- root 特权。有关如何以普通用户身份使用 sudo 的信息，请访问 <https://documentation.suse.com/smart/systems-management/html/sudo-run-commands-as-superuser/index.html> 

出版日期：2025 年 12 月 11 日

目录

- 1 **sudo** 配置简介 3
- 2 创建自定义 **sudo** 配置 4
- 3 更改 **sudo** 口令提示超时 8
- 4 使用 root 特权启动外壳 9
- 5 **sudo** 最佳实践 11
- 6 查错 12
- 7 **sudo** 配置参考 13
- 8 法律声明 16
- A GNU Free Documentation License 16

1 sudo 配置简介

sudo 提供了一种安全有效的方式将超级用户特权委托给特定用户或组。

Linux 系统上的某些操作需要 root 或管理员特权。自行管理系统的家庭用户无需分配超级用户权限，因为在此场景下，管理员与普通用户为同一人。但一旦系统纳入到包含多个用户、用户组及主机的大型环境，就必须明确控制谁被允许在何处执行何种操作。与此同时，为所有用户和用户组提供完成其任务所需的必要权限也十分重要。



重要

在 `sudo-policy-wheel-auth-self` 软件包所实施的新策略中，wheel 用户组用于确定用户是否可通过输入自身口令获取 root 权限。由 Agama 安装程序创建的第一个用户会自动加入 wheel 用户组。

此外，运行 **sudo** 命令时的规则如下：

- 如果您属于 wheel 用户组，系统会提示您输入自身的用户口令。
- 如果您不属于 wheel 用户组，系统会提示您输入 root 口令。

sudo 可提供以下优势：

增强的系统安全性

sudo 提供对用户、组、主机和命令的精细控制，从而可以通过降低入侵者或系统用户恶意或意外造成损坏的风险，来提高系统安全性。

完整的审计追踪

每当用户切换特权时，这种行为就会出现在系统日志中，并且该用户以提升的特权执行的所有操作都可以追溯到该用户。

委托 `root` 专属任务的方式

使用 `sudo`，系统管理员可以允许单个用户或组执行特定的任务，而无需输入 `root` 口令并切换到 `root` 帐户。

2 创建自定义 `sudo` 配置

您需要了解如何构建简单的示例自定义 `sudo` 配置并逐步扩展它。创建组并使用别名可使自定义配置保持精简且高效。

重要

从 SUSE Linux Enterprise Server 15 迁移时，系统中会存在 `/etc/sudoers` 文件。如果 `/etc/sudoers` 文件存在，`/usr/etc/sudoers` 文件将被忽略。只要用户未对 `/etc/sudoers` 文件进行重大修改，系统仍会读取 `/etc/sudoers.d/` 目录下的配置。

从 SUSE Linux Enterprise Server 15 迁移时，建议未修改过 `/etc/sudoers` 文件的用户将其去除。如果用户已修改过 `/etc/sudoers` 文件，需先将修改后的文件移至 `/etc/sudoers.d` 目录，再去除原文件。

警告：示例配置仅用于演示目的

下面所述的示例规则仅用于演示目的。请使用这些示例来了解 `sudo` 配置文件的一般语法。不要在现实设置中使用它们，因为它们不能反映这些环境的复杂性。

2.1 `sudo` 配置最佳实践

在开始之前，请注意以下有关维护 `sudo` 配置的几条基本规则：

始终使用 `visudo -f` 命令编辑 `/etc/sudoers.d/` 目录

对 `sudo` 配置的任何更改都应使用 `visudo` 命令来进行。`visudo` 是一个定制的工具，可用于编辑 `sudo` 配置文件和运行基本语法检查，以确保配置保持完整且能正常运行。错误的 `sudo` 配置可能导致用户被锁定在自己的系统之外。

始终在 `/etc/sudoers.d/` 下创建自定义配置

自定义配置必须位于 `/etc/sudoers.d/` 目录下，`sudo` 才会拉取该配置。自定义配置文件中的设置优先于 `/usr/etc/sudoers` 包含的默认配置中的设置。

始终注意配置读取顺序

为确保以正确的顺序读取自定义配置，请在配置前面加上数字作为前缀。使用前导零来建立文件的读取顺序。例如，`01_myfirstconfig` 在 `10_myotherconfig` 之前分析。如果在某个文件中设置了一个指令，而该文件是在包含冲突信息的另一个文件之前读取的，则会应用最后读取的指令。

始终使用描述性文件名

使用能够提示配置文件作用的文件名。这可以帮助您跟踪 `sudo` 设置的预期功能。

2.2 创建用户特定的配置文件

创建一个 `sudo` 配置文件，以允许普通用户 (`tux`) 使用自己的口令（而不是 `root` 口令）运行 `useradd` 命令。

例 1：创建用户特定的配置文件

1. 以系统管理员 (`root`) 身份启动 `visudo`，创建一个用于保存新用户特定的指令的自定义配置文件。使用带编号的描述性名称：

```
# visudo -f /etc/sudoers.d/02_usermanagement
```

2. 创建一条规则，以允许 `tux` 在此 `sudo` 配置应用到的整个环境中执行 `/usr/sbin/useradd` 二进制文件：

```
tux ① ALL ② = /usr/sbin/useradd ③
```

- ① 指定用户或组。按名称或 `#UID` 列出用户，按 `%GROUPNAME` 列出组。如果此处有多个项目，请用逗号分隔。要否定项，请使用 `!`。
- ② 指定一个或多个主机（用逗号分隔）。使用完全限定的主机名或 IP 地址。添加 `ALL` 以在所有主机上全局强制实施此设置。使用 `!` 进行否定。
- ③ 指定一个或多个可执行文件（用逗号分隔）。指定可执行文件时，请务必注意以下规则：

`/usr/sbin/useradd`

在不添加任何其他选项的情况下，此操作允许执行每个可能的 `useradd` 命令。

`/usr/sbin/useradd -c`

如果您明确指定某个选项，则该选项是唯一允许的选项。在上面指定的用户无法使用其他任何选项。

`/usr/sbin/useradd ""`

这样，用户只能单纯调用 `useradd`，而根本不能使用任何选项。

在上面的示例中，您可能希望允许使用所有选项和子命令，或者出于安全原因将允许的选项和子命令限制为少数几个，但在这种情况下，完全禁止用户指定任何选项是毫无意义的。

3. 保存配置，退出编辑器，并打开另一个外壳来测试 `sudo` 是否遵循您的新配置。

2.3 通过对项目进行分组来创建自定义配置

修改例 1 “创建用户特定的配置文件”中的配置，使一组命名用户无需输入 `root` 口令即可运行 `useradd` 命令。另外，将 `usermod` 和 `userdel` 添加到此组可用的命令列表中。

例 2：通过对项目进行分组来创建自定义配置

1. 要修改示例配置，请以系统管理员身份使用 `visudo` 将其打开：

```
# visudo /etc/sudoers.d/02_usermanagement
```

2. 使用逗号分隔的列表将更多用户添加到规则：

```
tux, wilber ALL = /usr/sbin/useradd
```

3. 要允许列出的用户执行一系列命令，请将这些命令指定为逗号分隔的列表：

```
tux, wilber ALL = /usr/sbin/useradd, /usr/sbin/usermod, /usr/sbin/userdel
```

4. 保存配置，退出编辑器，并打开另一个外壳来测试 `sudo` 是否遵循您的新配置。

2.4 通过应用别名简化配置

使用别名可以进一步简化例 2 “通过对项目进行分组来创建自定义配置”中的自定义配置。对项目进行分组在一定程度上有所帮助，但使用用户、命令和主机全局别名是使 `sudo` 配置保持整洁精简的最有效方法。

使用别名和组（而不是列表）是应对环境设置变更的更优方式。例如，当某用户离职时，无需逐一检查所有独立的自定义配置文件，只需在别名声明文件的全局 `User_Alias` 声明中去除该用户即可。该过程同样适用于任何其他类型的别名（`Host_Alias`、`Cmdn_Alias` 和 `Runas_Alias`）。

例 3：通过应用别名简化配置

1. 创建一个新文件来保存全局别名定义：

```
# visudo /etc/sudoers.d/01_aliases
```

2. 添加以下一行内容以创建 `TEAMLEADERS` 别名：

```
User_Alias    TEAMLEADERS = tux, wilber
```

3. 添加以下一行内容以创建 `USERMANAGEMENT` 别名：

```
Cmdn_Alias    USERMANAGEMENT = /usr/sbin/useradd, /usr/sbin/usermod, /usr/
sbin/userdel
```

4. 保存更改并退出 `visudo`。
5. 以系统管理员身份启动 `visudo` 以编辑示例配置文件：

```
# visudo -f /etc/sudoers.d/02_usermanagement
```

6. 删除先前的规则并将其替换为以下规则，该规则使用您刚刚定义的别名：

```
TEAMLEADERS ALL = USERMANAGEMENT
```

7. 保存配置，退出编辑器，并打开另一个外壳来测试 `sudo` 是否遵循您的新配置。



注意：更多信息

在第 7 节“[sudo 配置参考](#)”中查找 `sudo` 配置语法的更详细说明，并参见 `sudo` 的手册页。

3 更改 `sudo` 口令提示超时

了解如何更改超时设置，以便在执行需要 `root` 特权的命令时，不会每执行一个命令都出现输入 `root` 口令的提示。

首次运行以 `sudo` 开头的命令时，系统会提示您输入 `root` 口令。该口令将会在一段时间内保持有效。一旦口令失效，系统会再次提示用户输入口令。要延长或缩短在执行需要 `root` 特权的命令时实施的超时，请对 `sudo` 配置文件进行以下更改。请务必注意，虽然系统提示用户输入 `root` 口令，但他们并不属于 `wheel` 用户组。



警告：不要向 `root` 特权授予不受限的无口令访问权限

出于安全原因，请不要向 `root` 特权授予不受限的访问权限。相反，请设置合理的超时，以防任何入侵者滥用 `root` 帐户。

过程 1：更改 `sudo` 口令提示的超时

1. 以系统管理员身份，使用以下命令为时戳配置创建一个新的 `sudo` 配置文件：

```
# visudo --f=/etc/sudoers.d/timestamp_timeout
```

使用 `root` 口令成功完成身份验证后，将打开该文件。

2. 启用编辑功能并添加 `timestamp_timeout=` 一行。输入时戳值。

例如，要将超时缩短为三分钟，请输入：

```
Defaults timestamp_timeout=3
```

如果时戳设置为零，则每次执行 `sudo` 命令时，系统都会提示您输入 `root` 口令。

3. 保存更改并关闭该文件。

您已创建 `sudo` 配置文件，并缩短了执行 `sudo` 命令的超时设置。

4 使用 `root` 特权启动外壳

使用 `sudo -s` 或 `sudo -i` 命令以永久性 `root` 特权启动外壳。使用这两个命令时，系统只会提示您输入 `root` 口令一次。请务必注意，如果用户属于 `wheel` 用户组，系统会提示他们输入自己的口令。否则，系统会提示其输入 `root` 口令。

4.1 `sudo -s` 与 `sudo -i` 的区别

如果每次以 `root` 身份运行命令都必须输入 `sudo`，您可能会觉得非常不便。您可以使用一个内置机制来以永久性 `root` 特权启动外壳。为此可以使用两个命令选项：

- `sudo -s` 使用当前用户的环境启动外壳，并提供几个特权控制措施。要运行此命令，请输入 `root` 口令。
- `sudo -i` 使用干净的环境将外壳作为交互式登录外壳启动。要运行此命令，请输入 `root` 口令。

使用这两个命令时，外壳将通过新环境启动，您将以 `root` 身份登录。在该外壳中执行的任何后续命令都将以提升的特权运行，您无需再次输入口令。当您关闭外壳时，此环境将会终止，在执行另一个 `sudo` 命令时，您必须再次输入口令。

4.2 使用 `sudo -s` 启动外壳

`sudo -s` 命令启动交互式非登录外壳。使用 `root` 口令成功完成身份验证后，所有后续命令都将以提升的特权执行。

`SHELL` 环境变量或用户的默认外壳指定了要打开哪个外壳。如果此变量为空，则会选取 `/etc/passwd` 中定义的外壳。

默认情况下，`sudo -s` 命令从前一用户的目录运行，因为目标用户会继承前一用户的环境。该命令还会记录到您的历史中。

要以永久提升的特权启动外壳，请输入以下命令：

```
tux:~ > sudo -s
[sudo] password for root:
root:/home/tux # exit
tux:~ >
```

提示符从 `>` 更改为 `#`。

您已使用永久提升的特权启动了外壳。执行所有后续命令时，系统不会再次提示输入口令。

4.3 使用 `sudo -i` 启动外壳

`sudo -i` 与 `sudo -s` 命令行选项类似，但它会启动交互式登录外壳。使用 `sudo -s` 命令时，目标用户将继承前一用户的环境。您可以使用 `sudo -i` 命令来防止出现这种情况，运行此命令后，目标用户将获得一个干净的环境，并可以在他们自己的 `$HOME` 目录开始工作。

要使用 `sudo -i` 运行命令，请输入以下命令：

```
tux:~ > sudo -i
[sudo] password for root:
root:~ # exit
tux:~ >
```

您已使用永久提升的特权启动了外壳，并且命令已记录到您的历史记录中。执行所有后续命令时，系统不会再次提示输入口令。

5 sudo 最佳实践

了解 **sudo** 的一些最佳实践，以控制系统访问权限并提高用户的工作效率。

对 **sudo** 配置进行全面测试和审计

要构建真正高效且安全的 **sudo** 配置框架，请制定例行性的定期测试和审计流程。找出可能的漏洞并予以处理。不要出于便利而疏忽安全。

限制 **sudo** 超时

出于安全原因，请不要向 **root** 特权授予不受限的访问权限。相反，请设置合理的超时，以防任何入侵者滥用 **root** 帐户。有关详细信息，请参见第 3 节“更改 **sudo** 口令提示超时”。

使用 **visudo** 命令

使用 **visudo -f** 命令可以安全地编辑 `/usr/etc/sudoers` 文件，因为它会在保存更改之前检查文件的语法。这是一种预防措施，旨在纠正任何可能破坏系统的错误。除了基本的语法检查之外，您还可以运行 **visudo -c** 来检查整个 **sudo** 配置框架是否以正确的顺序进行解析，且不包含错误。

按组而不是按个人管理用户

尽可能使 **sudo** 配置保持精简且易于管理。应采用以下方式来管理用户：将用户添加到组，然后向这些组而不是个人授予特权。这样可以方便地通过更改组设置来添加或删除用户，而不必在整个配置中查找用户。

允许示例 `%admingrp` 组中的所有用户执行所有命令的示例规则：

```
%admingrp ALL = (ALL) ALL
```

限制二进制文件的路径

使用 `secure_path` 指令限制用户可以在哪些区域执行命令。以下示例是 SUSE Linux Enterprise Server 随附的默认设置。

```
Defaults secure_path="/usr/sbin:/usr/bin:/sbin:/bin:/usr/local/bin:/usr/local/sbin"
```

保持 `sudo` 日志记录透明

`sudo` 记录到标准日志文件，但其中的日志项很容易被忽略。将以下规则添加到您的配置，以指定专用的 `sudo` 日志文件。

```
Defaults logfile=/var/log/sudo.log
```

6 查错

了解如何对 `sudo` 配置问题进行调试和查错。

6.1 `/etc/sudoers.d/` 下的自定义配置被忽略

`/etc/sudoers` 中的 `#includedir` 指令会忽略以 `~` 字符结尾或包含 `.` 字符的文件。这是为了避免软件包管理器提供的配置文件（包含 `.`）或编辑器的临时文件或备份文件（以 `~` 结尾）出现问题。请确保自定义配置文件的名称既不包含这些字符，也不以这些字符结尾。如果存在这种情况，请重命名这些文件。

6.2 自定义指令冲突

配置文件的读取顺序决定了何时应用 `sudo` 配置指令。`/etc/sudoers.d/` 下的文件中的指令优先于 `/etc/sudoers` 中的相同指令。如果 `/etc/sudoers.d/` 中指定的自定义指令不起作用，请使用 `visudo -c` 检查文件的读取顺序。根据需要调整顺序。

6.3 由于 `sudo` 配置损坏而被锁定

如果您不小心破坏了系统的 `sudo` 配置，因而将自己锁定在 `sudo` 之外，可以使用 `su -` 和 `root` 口令来启动 `root` 外壳。运行 `visudo -c` 以检查错误，然后使用 `visudo` 修复错误。

7 sudo 配置参考

本章提供基本的 **sudo** 配置参考，以帮助您了解和维护默认和自定义的 **sudo** 配置。

7.1 sudoers 配置语法

sudoers 配置文件包含两种类型的选项：字符串和标志。字符串可以包含任何值，而标志则只能在“ON”或“OFF”之间切换。**sudoers** 配置文件的最重要语法构造如下：

```
# Everything on a line after # is ignored ❶
Defaults !insults # Disable the insults flag ❷
Defaults env_keep += "DISPLAY HOME" # Add DISPLAY and HOME to env_keep ❸
tux ALL = NOPASSWD: /usr/bin/frobnicate, PASSWD: /usr/bin/journalctl ❹
```

- ❶ 存在两个例外：`#include` 和 `#includedir` 是普通命令。较新版本不再使用 `#`。取而代之的是，`include` 指令现在前面带有 `@`。为了向后兼容，仍支持 `#` 表示法。
- ❷ 去除 `!` 字符会将所需标志设置为 ON。
- ❸ 指定在启用 `env_reset` 时应保留的环境变量列表。
- ❹ 一个复杂的规则，规定用户 `tux` 必须输入口令才能运行 `/usr/bin/journalctl`，但不需要输入口令即可在所有主机上运行 `/usr/bin/frobnicate`。

有用的标志和选项

`env_reset`

如果设置，**sudo** 会构造一个具有

`TERM`、`PATH`、`HOME`、`MAIL`、`SHELL`、`LOGNAME`、`USER`、`USERNAME` 和 `SUDO_*` 的极简环境。此外，会从调用环境导入 `env_keep` 中列出的变量。默认值为“ON”。

```
Defaults env_reset # Turn env_reset flag ON
```

`env_keep`

当 `env_reset` 标志为 ON 时要保留的环境变量列表。

```
# Set env_keep to contain EDITOR and PROMPT
Defaults env_keep = "EDITOR PROMPT"
```

```
Defaults env_keep += "JRE_HOME" # Add JRE_HOME
Defaults env_keep -= "JRE_HOME" # Remove JRE_HOME
```

env_delete

当 `env_reset` 标志为 OFF 时要去除的环境变量列表。

```
# Set env_delete to contain EDITOR and PROMPT
Defaults env_delete = "EDITOR PROMPT"
Defaults env_delete += "JRE_HOME" # Add JRE_HOME
Defaults env_delete -= "JRE_HOME" # Remove JRE_HOME
```

7.2 基本 sudoers 规则

每条规则都遵循以下模式（[] 标记的是可选部分）：

```
#Who      Where      As whom    Tag      What
User_List Host_List = [(User_List)] [NOPASSWD:|PASSWD:] Cmd_List
```

SUDOERS 规则语法

User_List

一个或多个标识符（用逗号分隔）：用户名、`%GROUPNAME` 格式的组，或 `#UID` 格式的用户 ID。可以使用 `!` 前缀指定求反。

Host_List

一个或多个标识符（用逗号分隔）：完全限定的主机名或 IP 地址。可以使用 `!` 前缀指定求反。`Host_List` 的常用选项为 `ALL`。

NOPASSWD: | PASSWD:

如果用户在 `NOPASSWD:` 后面运行的命令与 `Cmd_List` 匹配，系统不会提示用户输入口令。

`PASSWD:` 为默认选项。仅当 `PASSWD:` 和 `NOPASSWD:` 位于同一行时，才需要指定此选项：

```
tux ALL = PASSWD: /usr/bin/foo, NOPASSWD: /usr/bin/bar
```

Cmd_List

一个或多个说明符（用逗号分隔）：可执行文件的路径，后接允许的可选参数。

```
/usr/bin/foo      # Anything allowed
/usr/bin/foo bar  # Only "/usr/bin/foo bar" allowed
/usr/bin/foo ""   # No arguments allowed
```

ALL 可以用作 User_List、Host_List 和 Cmd_List。

7.3 使用别名简化 sudoers

管理员可以通过在组项目中引入别名，来避免维护一组重复的规则或逐个地维护规则。别名的语法与规则的语法相同。支持以下类型的别名：

User_Alias

用户名列表

Runas_Alias

按 UID 划分的用户组

Host_Alias

主机名列表

Cmd_Alias

命令、目录和别名的列表

将别名视为用户、组、命令和主机的命名列表。以下示例展示了别名的强大作用：

```
Host_Alias    WEBSERVERS = www1, www2, www3 ❶
User_Alias    ADMINS = tux, wilber, suzanne ❷
Cmd_Alias     REBOOT = /sbin/halt, /sbin/reboot, /sbin/poweroff ❸
ADMINS WEBSERVERS = REBOOT ❹
```

- ❶ 这三个服务器已分组到一个 Host_Alias WEBSERVERS。您可以使用完全限定的主机名或 IP 地址。
- ❷ 与上面分组的主机类似，此处列出了组用户甚至用户组（例如 %wheel）。像往常一样，否定是通过 ! 前缀实现的。
- ❸ 指定在同一上下文中使用的一组命令。

- ④ 所有别名包含在一条规则中，该规则规定，`User_Alias` 指定的所有用户都可以在 `Host_Alias` 中命名的所有主机上执行 `Cmnd_Alias` 下指定的一组命令。

概括而言，别名可帮助管理员保持 `sudoers` 精简且易管理（因此保持其安全性）。例如，如果某个用户离职，您只需从 `User_Alias` 语句以及此人所属的任何系统组中删除此人的姓名一次，而不必搜索包含此特定用户的所有规则。

8 法律声明

版权所有© 2006–2025 SUSE LLC 和撰稿人。保留所有权利。

根据 GNU 自由文档许可证 (GNU Free Documentation License) 版本 1.2 或（根据您的选择）版本 1.3 中的条款，在此授予您复制、分发和/或修改本文档的权限；本版权声明和许可证附带不可变部分。许可版本 1.2 的副本包含在“GNU Free Documentation License”部分。

有关 SUSE 商标，请参见 <https://www.suse.com/company/legal/>。所有其他第三方商标分别为相应所有者的财产。商标符号 (®、™ 等) 代表 SUSE 及其关联公司的商标。星号 (*) 代表第三方商标。

本指南力求涵盖所有细节，但这不能确保本指南准确无误。SUSE LLC 及其关联公司、作者和译者对于可能出现的错误或由此造成的后果皆不承担责任。

A GNU Free Documentation License

Copyright (C) 2000, 2001, 2002 Free Software Foundation, Inc. 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA. Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or non-commercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or non-commercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies.

The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A.** Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B.** List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C.** State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D.** Preserve all the copyright notices of the Document.
- E.** Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F.** Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G.** Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H.** Include an unaltered copy of this License.
- I.** Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create

one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

- J.** Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K.** For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L.** Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M.** Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N.** Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O.** Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original

English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <https://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

```
Copyright (c) YEAR YOUR NAME.  
Permission is granted to copy, distribute and/or modify this document  
under the terms of the GNU Free Documentation License, Version 1.2
```

```
or any later version published by the Free Software Foundation;  
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.  
A copy of the license is included in the section entitled "GNU  
Free Documentation License".
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the “with...Texts.” line with this:

```
with the Invariant Sections being LIST THEIR TITLES, with the  
Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.